

**Table 2. Number, incidence rate <sup>1</sup>, median days away from work <sup>2</sup> and relative standard errors <sup>3</sup> of occupational injuries and illnesses involving days away from work <sup>4</sup> to selected parts of body with musculoskeletal disorders <sup>5</sup> in selected ownerships for Kentucky, 2004**

Ownership	Part of body affected	Total Cases	Incidence Rate	Median Days	Relative Standard Error
Private industry	All Parts	7,490	62.2	13	5.0
Local government	All Parts	690	55.9	10	15.8
State government	All Parts	270	36.9	14	17.2
Private industry	1 Neck- Including Throat	110	0.9	20	20.3
Private industry	10 Neck- except internal location of diseases or disorders	110	0.9	20	20.3
Private industry	2 Trunk	5,330	44.3	12	5.2
Private industry	21 Shoulder- including clavicle- scapula	890	7.4	19	8.2
Private industry	22 Chest- including ribs- internal organs	140	1.1	20	18.2
Private industry	220 Chest- except internal location of diseases or disorders	140	1.1	20	18.2
Private industry	23 Back- including spine- spinal cord	3,710	30.8	7	5.5
Private industry	230 Back- including spine- spinal cord- unspecified	1,550	12.9	7	6.8
Private industry	231 Lumbar region	1,970	16.3	7	6.4
Private industry	232 Thoracic region	150	1.2	8	17.6
Private industry	233 Sacral region	20	0.2	2	47.9
Private industry	24 Abdomen	450	3.7	37	10.7
Private industry	240 Abdomen- except internal location of diseases or disorders	70	0.6	25	25.1
Private industry	241 Internal abdominal location- unspecified	60	0.5	30	26.3
Private industry	245 Intestines- peritoneum	300	2.5	37	12.6
Private industry	2450 Intestines- peritoneum- unspecified	300	2.5	37	12.6
Private industry	25 Pelvic region	150	1.2	14	17.5
Private industry	251 Hip(s)	30	0.3	14	36.5
Private industry	254 Groin	110	0.9	18	19.9
Private industry	3 Upper extremities	1,210	10.0	21	7.4
Private industry	31 Arm(s)	310	2.6	21	12.4
Private industry	310 Arm(s)- unspecified	190	1.6	21	15.6
Private industry	312 Elbow(s)	120	1.0	36	19.3
Private industry	32 Wrist(s)	650	5.4	31	9.2
Private industry	33 Hand(s)- except finger(s)	70	0.5	5	25.7
Private industry	34 Finger(s)- fingernail(s)	120	1.0	1	19.3
Private industry	38 Multiple upper extremities locations	50	0.4	37	28.9
Private industry	381 Hand(s) and finger(s)	30	0.3	37	37.0
Private industry	4 Lower extremities	540	4.5	13	9.9
Private industry	41 Leg(s)	450	3.7	17	10.7

See footnotes at end of table

**Table 2. Number, incidence rate <sup>1</sup>, median days away from work <sup>2</sup> and relative standard errors <sup>3</sup> of occupational injuries and illnesses involving days away from work <sup>4</sup> to selected parts of body with musculoskeletal disorders <sup>5</sup> in selected ownerships for Kentucky, 2004 -- Continued**

Ownership	Part of body affected	Total Cases	Incidence Rate	Median Days	Relative Standard Error
Private industry	410 Leg(s)- unspecified	60	0.5	5	26.7
Private industry	412 Knee(s)	370	3.1	20	11.6
Private industry	42 Ankle(s)	50	0.4	3	28.8
Private industry	43 Foot(feet)- except toe(s)	40	0.3	2	33.0
Private industry	430 Foot(feet)- except toe(s)- unspecified	40	0.3	2	33.0
Private industry	8 Multiple Body Parts	310	2.6	17	12.5
Local government	2 Trunk	550	45.0	7	16.3
Local government	21 Shoulder- including clavicle- scapula	100	7.8	16	24.8
Local government	23 Back- including spine- spinal cord	440	36.1	6	16.8
Local government	230 Back- including spine- spinal cord- unspecified	120	10.0	5	22.8
Local government	231 Lumbar region	310	25.5	8	17.9
Local government	3 Upper extremities	70	5.6	66	27.9
Local government	31 Arm(s)	50	4.2	66	31.1
Local government	312 Elbow(s)	40	3.2	66	34.8
Local government	4 Lower extremities	40	3.2	8	34.9
Local government	41 Leg(s)	30	2.6	20	37.9
State government	2 Trunk	170	22.8	10	18.8
State government	23 Back- including spine- spinal cord	140	18.8	10	19.6
State government	230 Back- including spine- spinal cord- unspecified	90	12.3	13	21.9

See footnotes at end of table

**Table 2. Number, incidence rate <sup>1</sup>, median days away from work <sup>2</sup> and relative standard errors <sup>3</sup> of occupational injuries and illnesses involving days away from work <sup>4</sup> to selected parts of body with musculoskeletal disorders <sup>5</sup> in selected ownerships for Kentucky, 2004 -- Continued**

Ownership	Part of body affected	Total Cases	Incidence Rate	Median Days	Relative Standard Error
State government	231 Lumbar region	50	6.5	3	27.0
State government	3 Upper extremities	40	4.8	59	30.1
State government	4 Lower extremities	30	3.7	6	33.5
State government	8 Multiple Body Parts	40	5.5	30	28.6

<sup>1</sup> Incidence rates represent the number of injuries and illnesses per 10,000 full-time workers and were calculated as:  
 $(N / EH) \times 20,000,000$  where,

N = number of injuries and illnesses,  
 EH = total hours worked by all employees during the calendar year,  
 20,000,000 = base for 10,000 full-time equivalent workers (working 40 hours per week, 50 weeks per year).

<sup>2</sup> Median days away from work is the measure used to summarize the varying lengths of absences from work among the cases with days away from work. Half the cases involved more days and half involved less days than a specified median. Median days away from work are represented in actual values.

<sup>3</sup> Relative standard errors are a measure of the sampling error of an estimate. Sampling errors occur because observations are made on a sample, not on the entire population. Estimates based on the different possible samples of the same size and sample design could differ. Relative standard errors less than 0.05 are not shown.

<sup>4</sup> Days-away-from-work cases include those that result in days away from work with or without job transfer or restriction.

<sup>5</sup> Includes cases where the nature of injury is: sprains, strains, tears; back pain, hurt back; soreness, pain, hurt, except back; carpal tunnel syndrome; hernia; or musculoskeletal system and connective tissue diseases and disorders and when the event or exposure leading to the injury or illness is: bodily reaction/bending, climbing, crawling, reaching, twisting; overexertion; or repetition. Cases of Raynaud's phenomenon, tarsal tunnel syndrome, and herniated spinal discs are not included. Although these cases may be considered MSD's, the survey classifies these cases in categories that also include non-MSD cases.

NOTE: Dashes indicate data that do not meet publication guidelines or data for incidence rates less than .05 per 10,000 full-time workers. The scientifically selected probability sample used was one of many possible samples, each of which could have produced different estimates. A measure of sampling variability for each estimate is available upon request.

SOURCE: Bureau of Labor Statistics, U.S. Department of Labor, May 25, 2006